

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Friday, May 14, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> <small>side by side</small>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <small>result set</small>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L15</u> L14 and (command near4 (buffer or register))	2	<u>L15</u>
<u>L14</u> (6377101 or 6229363 or 6150866 or 6049239 or 6252269).pn.	5	<u>L14</u>
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L13</u> ((power-down) or standby or disabl\$3 or (power\$3 near3 down) or (data near4 hold\$3) or (data near4 halt\$3)) with ((command or control) near4 (buffer or register)) with (internal near4 (clock or pulse))	7	<u>L13</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<u>L12</u> l10 and ((data near4 (hold\$3 or halt\$4)) with L11)	5	<u>L12</u>
<u>L11</u> command near4 (buffer or register)	19435	<u>L11</u>
<u>L10</u> L9 and ((data near4 (hold\$3 or halt\$4)) with L3)	67	<u>L10</u>
<u>L9</u> L8 and ((data near4 (hold\$3 or halt\$4)) with L4)	434	<u>L9</u>
<u>L8</u> L7 and l6 and l5	1471	<u>L8</u>
<u>L7</u> normal near4 (mode or condition or state)	189770	<u>L7</u>
<u>L6</u> ((power-down) or standby or disabl\$3 or (power\$3 near3 down) or (data near4 hold\$3) or (data near4 halt\$3)) near4 (mode or condition or state)	53362	<u>L6</u>

<u>L5</u>	L4 and l3 and l2	11913	<u>L5</u>
<u>L4</u>	data near4 (buffer or register)	137349	<u>L4</u>
<u>L3</u>	address near4 (buffer or register)	59722	<u>L3</u>
<u>L2</u>	clock near4 (buffer or register)	39607	<u>L2</u>
	((power-down) or standby or disabl\$3 or (power\$3 near3 down) or (data		
<u>L1</u>	near4 hold\$3) or (data near4 halt\$3)) with ((command or control) near4	79	<u>L1</u>
	(buffer or register)) with (internal near4 (clock or pulse))		

END OF SEARCH HISTORY